


1



2

1 *Ultrasonic vibrational system with drill, heatshrink holder and HSK63 fitting*

2 *CAD sectional view of a vibrational system with piezoelectric ring actuators*

VIBRATIONAL SYSTEMS FOR HIGH PERFORMANCE MACHINING

Fraunhofer Institute for Machine Tools and Forming Technology IWU

Reichenhainer Strasse 88
09126 Chemnitz, Germany

Department Adaptronics

Nöthnitzer Strasse 44
01187 Dresden, Germany

Dr.-Ing. Thomas Mäder
Phone +49 371 5397-1577
thomas.maeder@iwu.fraunhofer.de

www.iwu.fraunhofer.de

Challenge

Machining of composites, certainly for CFRP, as well as machining of hard materials (break disks made of C/C-SiC) are combined with massive friction and tool wear. These materials can be machined with low productivity or having high costs. Some materials can only be grinded.

Innovation

High performance machining with vibrational assistance by means of tool excitation with ultrasonic vibration

Example of use

Longitudinal vibrational system for drilling of CFRP with excitation frequency of 24 kHz and 15 µm amplitude

Advantages

Increase of machining quality and reduced tool wear

- up to 40 percent reduced process forces to avoid fiber pull-out and delamination
- increase of tool life of about 50 percent (CFRP)
- reduction of machining time for 50 percent (hard materials)
- avoiding formation of built-up edges and reduction of chip size
- increase of part quality and reduced burr formation

Our service offer

Development and computation of vibrational systems, experimental characterization, application specific developments for machine integration