

PRESS RELEASE

Fraunhofer IWU at Formnext, November 19–22, 2024, Hall 11.0/Booth E38

Custom Print Heads for 3D Printing: Achieving Individual and Highly Efficient Functional Integration

Wire or Fiber Encapsulating Additive Manufacturing (WEAM/FEAM) could significantly simplify the industrial production of components that require the integration of complex yet compact wiring, sensors, actuators, or lighting systems – by directly printing these components into the parts. The FEAM process uses glass fibers instead of wires, which are coated with a polymer and applied to any substrate without affecting its optical properties. This technology enables the creation of customizable lighting elements, sensors, or data conductors on 2D or 3D surfaces. A new development at Fraunhofer IWU: the Automated Cable Assembly (AuCA). Conventional robotics fails to produce and automatically lay flexible cable bundles in vehicles; AuCA, however, manufactures the wiring using a robot-guided way on a component and fixes it with a polymer.

The team led by Lukas Boxberger at Fraunhofer IWU offers a variety of print heads for a wide range of manufacturing tasks, which the IWU team can further customize to specific product requirements.

Printing custom wiring harnesses in a car plant

A wiring harness for an automobile consists of several cables with different lengths, cross-sections, and terminal connectors. For a robotic system, both the assembly and installation of a cable system several kilometers long would be extremely difficult to manage. Such processes would require numerous cameras, sensors, and intricate processing steps. For this reason, even today, the entire process chain from assembling the cables to installing them in the vehicle is still characterized by a lot of painstaking manual labor.

With the Automated Cable Assembly (AuCA), Fraunhofer IWU has completely rethought cable laying and combined it with 3D printing technology, allowing flexible cables to be deposited directly from an endless reservoir without the need to handle them manually. In addition, the researchers have developed a tool head that equips the laid cables with. The cable-laying concept is automated, does not require image processing, and uses an efficient laying system directly on the final component. This technology eliminates the need for cable pre-assembly, harness configuration, transport, and installation. Such a system can thus replace several manual labor stations

Contact

Andreas Hemmerle | Fraunhofer IWU | Phone +49 371 5397-1372 |
Reichenhainer Straße 88 | 09126 Chemnitz | Germany | www.iwu.fraunhofer.de | andreas.hemmerle@iwu.fraunhofer.de |

FRAUNHOFER IWU

and apply wiring harnesses on the component next to the production line of a car, for example. AuCA reduces the wiring harness to its core components: individual cables, necessary contacts, and application-specific adhesives. This approach saves weight and eliminates the need for additional materials for transport protection.

November 12, 2024 || Page 2 | 4

Applications similar to automotive wiring harnesses exist in all areas of cable integration, from control cabinets to consumer electronics.

Using FEAM to leverage the benefits of fiber optics for faster data transfer or create flat, flexible, and lightweight lighting systems

Instead of (coated) cables, fiber optic strands can also be applied to various substrates using printing technology. In Fiber Encapsulating Additive Manufacturing, a single fiber or fiber bundle is printed onto the component by a print head and encapsulated with a polymer coating. This approach allows for depositing fiberglass tracks directly onto the final component in any desired shape. With the FEAM technology, the researchers aim to push the boundaries of fiber optic integration to develop cost-effective and design-flexible solutions for industrial applications. Fraunhofer IWU is working on methods that enable fully automated integration of fiber optic elements and is developing print head systems that are faster, more precise, and more efficient in manufacturing. Products with optical fibers that can be directly applied to (injection-molded) parts require shorter processing times and fewer components.

Comparable cost benefits can be achieved when this technology is used to directly apply optical fibers onto components. At Formnext, Fraunhofer IWU will showcase a print head that can achieve deposition speeds of up to 50 millimeters per second for fiber diameters ranging from 0.2 to 1 millimeter, without the need for special requirements for the coating material. For example, side-emitting fiber optics (SEFOs) with a protective transparent casing can be applied to an injection-molded part to create a powerful, flat light element.

Further Information

[Fraunhofer IWU at Formnext 2024 \(external link\)](#)

FRAUNHOFER IWU

November 12, 2024 || Page 3 | 4



Fig. 1 Left bottom: *WEAM Printer* (outer) and *FEAM Printer* are ideally suited motion systems for 3D printers in environments with limited space but requiring speed and flexibility. The print heads are compact and lightweight. The media supply (wire or fiber, polymers, compressed air) is handled by an external supply unit (shown directly above the print heads). For larger machines or when more space is available: *WEAM Machine* (center) requires no external supply. *WEAM Robot* (second from right) is designed for larger motion systems, primarily processes two-component polymers, and can print glass fibers or glass fiber-reinforced plastics onto metals. Far right: *AUCA*, designed for robotic guidance. Shown is the unit that can place and adjust the length of four cables simultaneously. © Fraunhofer IWU




Fig. 2 *WEAM Machine*, combined with a tool machine
© Fraunhofer IWU




Fig. 3: Cable laying with AuCA. The AuCA system consists of two tools (cable laying, left in the image, and contact attachment, right) that can be guided by collaborative robots. The end effector "Cable Deposition" allows for cable feed from an endless roll, automatic configuration, positioning, and mechanical attachment (thermoplastic extrusion) on the component. It can lay up to four cables simultaneously. This technology enables the flexible, fully automated production of various cable harnesses directly on the workpiece. © Fraunhofer IWU




Fig. 4 The FEAM process uses fiber material made of glass, which is applied to any substrate via a polymer coating.

© Fraunhofer IWU

The **Fraunhofer Institute for Machine Tools and Forming Technology IWU** is a driver for innovations in the research and development of production engineering. Around 670 highly qualified employees work at our locations in Chemnitz, Dresden, Leipzig, Wolfsburg, and Zittau. We open up the potential for competitive manufacturing in automotive and mechanical engineering, aerospace technology, medical engineering, electrical engineering, and precision and microengineering. We focus on scientific developments and contract research regarding components, processes, methods, and the associated complex machine systems and their interaction with humans – the entire factory. As the leading institute for resource-efficient manufacturing, we bank on highly flexible, scalable cognitive production systems using nature as an example. We consider the entire process chain using regenerative systems and circular economy in this context. We develop technologies and intelligent production plants and optimize forming, cutting, and joining manufacturing steps. Our range of services includes the development of innovative lightweight structures and technologies for processing new materials, functional transfer to assembly groups, and the latest technologies of additive manufacturing (3D printing). We present approaches for large-scale production of essential hydrogen systems, thus contributing to the transition to renewable energies.